



Gunnar Färber Mineralien

Systematik - Minerale aus aller Welt

Actinolite xls	Heath Canyon, Wrightwood, San Gabriel Mts., San Bernardino Co., California / USA; nice crystal aggregates of green 2 cm large Actinolite crystals, old pieces found around 1970; KS 19,00
Aldridgeite xls	Kelley Mine, Magdalena, Socorro Co., New Mexico / USA; the new and rare Cadmium-Copper-Hydroxyl-Sulfate forms here sky-blue radial acicular crystal aggregates of 1 mm, beside of pale green Ktenasite crystals on Quartz matrix; KS 85,00
Alterite xls	Cliff Dwellers Lodge, Bitter Spring, Coconino Co., Arizona / USA / TYP; the new rare Zinc-Oxalate forms greenish yellow crystal aggregates up to 4 mm on petrified wood; MM 95,00; KS 125,00
Antimony xls	Kalliosalo, Nurmo, Seinäjoki, South Ostrobothnia / Finland; nice crystal clusters of silver white metallic cleavage crystals up to 1,5 cm, impressive specimens collect around 1980; KS 38,00; NS 95,00
Apexite xls	Apex Mine, Reese River District, Lander Co., Nevada / USA / TYP; the very rare Na-Mg-Phosphate forms white long tabular micro crystals, beside of yellow Cejkaite; MM 48,00
Beckettite xls	Sierra de Comechingones, San Luis Prov. / Argentina; the exordinar rare Ca-V-Al-Oxide, was before only know as a rare tiny component in Ca-Al-rich inclusions from the Allende Meteorite, here it forms yellow micro crystalline aggregates on brown 5 mm large Hibonite crystals and gray Grossite; MM 125,00; KS 285,00
Bobmeyerite xls	Mammoth-Saint Anthony Mine, Tiger, Pinal Co., Arizona / USA / TYP; the very rare Lead-Silicate occurs here as white acicular crystal aggregates to 1 mm, beside of blue Linarite on Quartz; MM 85,00
Brazilianite xls	Linópolis, Divino das Laranjeiras, Minas Gerais / Brazil; pale green well formed high lustrous gem crystals of 2 cm, with some white Albite crystals, nice specimen found around 1998; KS 38,00; NS 95,00
Bulachite xls	Sa Malesa, Sa Bidda Beccia, Sarroch, Cagliari, Sardinia / Italy; white radial acicular crystal aggregates, quite rich on grayish Quartzite; MM 38,00; KS 48,00
Burkeite xls	Searles Lake, Trona, San Bernardino Co, California / USA / TYP; bright pinkish well formed transparent crystals of 2 mm, very rich on Halite matrix. Nice specimens from a new find in October 2018; KS 28,00; NS 38,00
Buttgenbachite xls	Tenke-Fungurume Mine, Likasi, Kolwezi-District, Katanga / Congo; blue high lusterous needle-like crystals and acicular crystal aggregates up to 5 mm, with pale green malachite on cavities in massive Cuprite. Beautiful specimens, a feast for the eyes under the microscope; KS 95,00; NS 185,00
Calaverite xls	Juomasuo Gold Deposit, 37 km north of Kuusamo, North Ostrobothnia / Finland; silver-white to pale yellow metallic crystal aggregates up to 2 mm, with some native Gold in Pyrrhotite rich Quartz matrix. I've never seen an examined Calaverite from a European location; KS 65,00
Calcite xls	U.S. Borax Mine, Boron, Kern Co., California / USA; "Pseudomorphs of Calcite after Ulexite", gold-yellow columnar crystal aggregates from 2.5 cm (KS) to 4 cm (NS), pretty colorful and rare pseudomorphs, found around 1999; KS 28,00; NS 38,00
Chalcotrichite xls	Morning Star Mine, Cerro Gordo, Inyo Mts, Inyo Co., California / USA; red needle-like crystal aggregates of 2 cm, with green malachite on dark brown goethite matrix, nice specimen from a rare location; KS 28,00; NS 48,00
Chibaite xx	Arakawa, Minamiboso, Chiba Prefecture, Honshu Island / Japan / TYP; the rare SiO ₂ phases appear as white glassy aggregates of 2 cm, partly with isometric 1 mm crystals; KS 48,00
Chloritoid xls	Selcuk, Mulga Province, Aegean Region / Turkey; dark green tabular crystals up to 1 cm with pale yellow Diaspore crystals up to 2 cm. Beautiful specimens found around 1980; KS 48,00; NS 95,00
Clinoclase xls	Majuba Hill Mine, Antelope District, Pershing Co., Nevada / USA; blue high lusterous crystals of 1 mm, very rich with green Cornwallite on 2 cm large cavities on Rhyolite; KS 28,00; NS 38,00
Clinoferrosilite xls	Sant Antioco Island, Provincia del Sud Sardegna, Sardinia / Italy; deep dark green transparent high lusterous prismatic crystals of 1 mm, very rich with colorless Sanidine and pale violet Amethyst crystals on several centimeter large cavities on Andesite. A feast for the eyes under the microscope; KS 28,00; NS 48,00
Colemanite xls	U.S. Borax Mine, Boron, Kern Co., California / USA; beautiful crystal groups of colorless to white high lustrous arrowhead-like crystals up to 3 cm, nice specimen found around 1990; NS 48,00; HS 165,00
Copper xls	Morning Star Mine, Cerro Gordo, Inyo Mts, Inyo Co., California / USA; copper-metal well crystallized crystal aggregates from 4 cm (KS) to 7 cm (NS), native Copper from California is pretty rare, only a few pieces available; KS 38,00; NS 68,00
Coronadite (xls)	Vani Mine, Milos Island, Cyclades Archipelago / Greece; columnar black hollow stalactite-like aggregates of coronadite-hollandite-cryptomelane. Formed during tertiary volcanic exhalation in the shallow sea around a volcano. By a tectonic uplifting of the island, the Black Smokers are now expose on the surface; NS 48,00; HS 75,00
Demantoid xls	Perovskite Hill, Santa Rita Peak, Diablo Range, San Benito Co., California / USA; pale green crystals up to 4 mm, very rich in greenish Clinoclase matrix. pretty pieces found around 1980; KS 19,00; NS 38,00
Diaspore xl	Selcuk, Mugla Province, Aegean Region / Turkey; pale yellow to colorless transparent high lustrous prismatic 2 cm (KS) to 3 cm (NS) crystals in gemstone quality, pretty pieces, found around 1980; MM ; KS 28,00; NS 38,00
Diopase xls	Morning Star Mine, Cerro Gordo, Inyo Mts., Inyo Co., California / USA; bright green transparent gemmy long prismatic crystals of 2 mm, very rich on matrix. Nice specimens from a rare location; NS 28,00
Dmisteinbergite xls	Kurumazawa Quarry, Katashina, Gunma Pref., Honshu Island / Japan; white silky, long tabular crystals up to 1 cm, with white glassy Wairakite crystals on greenish gray gabbro matrix; MM 28,00; KS 48,00
Dravite xl	Mwajanga Pegmatite, Mererani, Simanjiro District, Manyara Region / Tanzania; bi-colored single crystals of 2,5 cm (KS), 4 cm (NS) to 7 cm (HS), The lower part of the crystal is brown Dravite. The outer zone of the crystals, as well as the end face "cap" consist of colorless Elbaite; KS 28,00; NS 65,00; HS 185,00
Eglestonite xls	Cahill Mine, Poverty Peak District, Humboldt Co., Nevada / USA; the rare Mercury-Oxy-Chloride forms here pale yellow micro crystalline aggregates, with red Cinnabar on cavities in Calcite-Quartz matrix; KS 28,00; NS 48,00
Fergusonite-(Y)-β xl	Karasugawa Pegmatite, Koriyama, Fukushima, Honshu Island / Japan; greenish-brown prismatic single crystals up to 8 mm with some Feldspar; MM 38,00
Ferrierite-Mg xls	Kamloops Lake, west of Kamloops, British Columbia / Canada; red brownish silky luster radial acicular crystal aggregates of 3 mm, very rich on large cavities on Chalcedony, pretty specimens from a classic location; KS 28,00; NS 48,00
Fluor-elbaite xls	Aracuai, Jequitinhonha River Valley, Minas Gerais / Brazil; beautiful crystal groups of light green transparent crystals of 1.5 cm and small light purple Polythionite crystals; MM 19,00; KS 28,00
Fluorite xls	Akdagmadeni, Yozgat Province, Central Anatolia Region / Turkey; violet crystals of 1 cm, together with small Quartz crystals of 5 mm, on grey Quartzite matrix, pretty specimens from a rare location; NS 38,00; HS 75,00



Gunnar Färber Mineralien

Systematik - Minerale aus aller Welt

Gaspeite xls	132 North Mine, Widgiemooltha, Coolgardie Shire, Western Australia / Australia; pale green botryoidal crystal aggregates, very rich on brownish siderite; KS 28,00; NS 38,00
Glauconite xls	Padria, Sassari Prov., Sardinia / Italy; olive green botryoidal radial acicular crystals aggregates, very rich on 2 cm large cavities in red Rhylolite; KS 19,00; NS 28,00
Goldfieldite xls	Sarukui Pit, Kawazu Mine, Rendaiji, Shimoda, Shizuoka / Japan; dark grey metallic crystal aggregates of 5 mm in Quartz, quite rich specimens of the uncommon Copper-Tellurium-Sulfide; KS 48,00
Gysinite-(Nd) xls	Sa Duchessa Mine, Orida, Domusnovas, Iglesias district, Cagliari Prov., Sardinia / Italy; light pinkish crystal aggregate of 1 mm, with tan Hemimorphite crystals on light blue Chrysocolla matrix; KS 95,00
Halite xls	Searles Lake, Trona, San Bernardino Co., California / USA; beautiful crystal groups of pink cube-shaped to 1.5 cm large halite crystals. Excellent pieces from a new find in October 2018; KS 14,00; NS 28,00; HS 48,00
Helvite xls	Mina Navegator, Galiléia, Conselheiro Pena, Minas Gerais / Brazil; tetrahedral yellowish green crystals up to 8 mm on white Albite, beautiful pieces found around 2004; KS 28,00; NS 65,00; HS 125,00
Humboldtine xls	Colorado Gulch, Helena, Lewis and Clark Co., Montana / USA; the rare Iron Oxalate forms here pale yellow micro crystalline crust of several square centimeter on brownish compact Iron oxide matrix; KS 28,00; NS 48,00
Hydrokenopyrochlore xls	Antandrokomby Pegmatite, Manandona Valley, Ambohimanjaka, Ambositra / Madagascar / TYP; pale grey prismatic crystals of 2 mm, beside of pinkish Elbaite crystals on cavities in Orthoclase-Quartz matrix; KS 125,00
Irginite xx	Cameron, Cameron District, Coconino Co., Arizona / USA; pale yellow crystals of 0.5 mm, very rich on Sandstone; MM 38,00
Johannsenite xls	Akatani Mine, Shibata City, Niigata Pref., Honshu Island / Japan; pale pinkish radial acicular crystal aggregates up to 3 cm with some Quartz, nice specimens collect around 1970; KS 19,00; NS 38,00
Jokokuite xls	Jokoku Mine, Kaminokuni, Oshima Peninsula, Hokkaido Island / Japan / TYP; several pale pinkish glassy crystal aggregates of 2 mm, safely stored in a glass tube; MM 19,00
Jorgensenite xls	Ivigut Cryolite Deposit, Ivittuut, Arsuk Fjord, Sermersooq / Greenland / TYP; the rare strontium fluoride previously known only from Ivigut, forms several centimeters large white massive microcrystalline aggregates of long prismatic around 100µm large crystals. Always together with Weberite, Thomsenolite and Topas; MM 38,00; KS 65,00
Kamarizaite (xls)	Gold Hill Mine, Clifton District, Tooele Co., Utah / USA; the rare Iron Arsenate forms light yellowish-white aggregates of 5 mm in size, besides colorless radial acicular scorodite crystals and yellow plumbojarosite, very rich in brownish goethite. It is the first find of Kamarizaite outside Europe; KS 38,00; NS 75,00
Katayamalite xls	Funokoshi, Iwagi Island, Setonaikai, Ehime Pref., Shikoku Island / Japan / TYP; colorless (under UV light light blue) tabular crystals of 3 mm together with olive Sugilite in white Albit matrix; KS 28,00; NS 38,00
Kogarkoite xls	West Shore of Lake Natron, Mtwabaga, African Rift Valley, Arusha / Tanzania; The very rare sodium sulphate fluoride occurs here in the form of pale pinkish crust-like aggregates of 2 cm grown over massive crystal aggregates of long-prismatic Trona crystals, found in July 2018; NS 48,00; HS 125,00
Kolbeckite xls	Schlarbaum Quarry, Klause, Bad Gleichenberg, Styria / Austria; pale green spherical crystal aggregates of 2 mm, on a brown Latit matrix. Very good pieces of rare Scandium Phosphate; MM 28,00; KS 38,00
Levyne-Na xls	Chojabaru, Iki Island, Nagasaki Prefecture, Japan / TYP; colorless prismatic crystals up to 3 mm, on 1 cm large cavities in Basalt, Levyne-Na from the Type-location are really unusual; KS 28,00
Mangano-ferri-eckermannite xls	Tanohata Mine, Tanohata-mura, Shimohai-gun, Iwate / Japan / TYP; The rare Na-Mn-Fe-Silicate forms reddish brown crystals up to 3 mm, very rich with Braunitz; MM 38,00; KS 65,00
Mangano-mangani-ungarettiite xls	Hoskins Mine, Grenfell, Forbes Co., New South Wales / Australia / TYP; the extremely rare Na-Mn-Silicate forms dark red-brownish micro crystals in Quartz Hausmannite matrix; Capsel 28,00; MM 48,00
Martinandresite xls	Isenwegg, Wasen Alp, Ganter Valley, Simplon Pass, Wallis / Switzerland / TYP; white prismatic single crystals and small 5 mm crystal aggregates of the very rare new barium zeolite; MM 48,00
Motukoreaitite xls	Stradner Kogel, Wilhelmsdorf, Bad Gleichenberg, Styria / Österreich; white silky luster radial acicular crystal aggregates, with colorless Phillipsite-K crystals on large cavities on Basalt; NS 38,00
Nambulite xls	Gozaisho Mine, Iwaki, Fukushima Pref., Honshu Island / Japan; orange-red prismatic crystals of 3 mm, with black Iwakiite crystals and pink rhodonite; KS 38,00
Natronambulite xls	Dohnoiri Mine, Kanuma City, Tochigi Pref., Honshu Island / Japan; light orange brownish waxy shiny aggregates of 1 cm, with light pink Rhodochrosite, rich specimen for the rare Li-Mn-Silicate; KS 38,00
Ningyoite xls	Ningyo-toge Mine, Misasa, Tottori Pref., Honshu Island / Japan / TYP; The rare Calcium Uranium phosphate forms brown waxy aggregates, inter grown with quartz; MM 38,00
Nordstrandite xls	Stradner Kogel, Wilhelmsdorf, Bad Gleichenberg, Styria / Austria; white radial-acicular spherical crystal aggregates up to 4 mm with some Phillipsite-K crystals on Basalt; NS 48,00; HS 85,00
Opal	Karamanca, Simav, Kütahya, Aegean Region / Turkey; apple green transparent Opals of 2 cm (KS) to 3 cm (NS) in gemstone quality. Pretty specimens from new find; KS 28,00; NS 38,00
Orientite xls	Cerchiara Mine, Borghetto Vara, La Spezia Prov., Liguria / Italy; brownish radial tabular crystal aggregates, very rich on cavities in Quartz matrix; KS 28,00
Osumilite-(Mg) xls	Yamanokuchi, Iriki, Satsumasendai City, Kagoshima Pref., Kyushu Island / Japan; blue high lustrous transparent hexagonal crystals up to 2 mm, with colorless Tridymite crystals on large cavities on Andesite; KS 28,00; NS 38,00
Otavite xls	Su Elzu Mine, Ozieri, Sassari Prov., Sardinia / Italy; white romboedric small crystals with some white Willemite in cavities in Quartz matrix, nice specimen of the rare Cadmium Carbonate; MM 38,00
Pachnolite xls	Ivigut Cryolite deposit, Ivittuut, Arsuk Fjord, Sermersooq / Greenland / TYP; colorless long prismatic crystals of 4 mm, beside of bi-pyramidal Hydrokenoralstonite crystals on Thomsenolite matrix; KS 28,00; NS 48,00
Paramelaconite xls	Tenke-Fungurume Mine, Likasi, Kolwezi-District, Katanga / Congo; dark-brown metallic high-lustrous prismatic crystals and blocky crystal aggregates up to 5 mm, on massive cuprite; KS 125,00; NS 225,00
Perovskite xls	Perovskite Hill, Santa Rita Peak, Diablo Range, San Benito Co., California / USA; orange-brownish by-pyramidal crystals of 2 mm, with some black Melanite crystals on greenish grey Clinocllore matrix; NS 38,00



Gunnar Färber Mineralien

Systematik - Minerale aus aller Welt

Petersite-(La) xls	Detani River, Ohgurusu, Kiwa, Kumano City, Mie, Honshu Island / Japan / TYP; The new rare copper lanthanum phosphate occurs as small green spherical aggregates on greenish blue chrysocolla; MM 65,00; KS 95,00
Porpezite xls	Uriman Mine, Rio Caroni, Bolivar Provinz / Venezuela; The rare Gold Palladium Mineral forms pink-brown metallic to golden yellow long prismatic single crystals and crystal groups up to 1 cm in size. Pretty crystals of a new find; MM 125,00
Potassic-ferri-leakeite xls	Tanohata Mine, Tanohata-mura, Shimohei-gun, Iwate / Japan / TYP; brown long prismatic crystals of 3 mm on Quartz; MM 38,00
Potassic-Jeanlouisite xls	Zirkle Mesa, Leucite Hills, Superior, Sweetwater Co., Wyoming / USA / TYP; colorless needle-like crystals up to 1 mm in size, very rich on small cavities and as a rock-forming component besides leucite in lamproite lava. The new mineral was discovered by me in July 2012; KS 95,00
Poudretteite xl	Pyant Gyi Mine, Pein-Pyit, Mogok, Mandalay Region / Myanmar; pale-rosa to pale pinkish gemmy single crystals of 5 mm (MM) to 8 mm (KS). Poudretteite is one of the world's rarest gemstones; MM 95,00; KS 125,00
Protoferro-anthophyllite xls	Cheyenne Mt. Area, El Paso Co., Colorado / USA / TYP; colorless long prismatic crystals up to 5 mm in dark brownish Fayalite; KS 48,00
Quartz xl	Alto Bonito Claim, Garimpo das Pedras, Maraba, Carajas, Para / Brazil; pale violet 12 cm (NS) to 15 cm (HS) large amethyst crystals with flattened tip "C - faces" and intensive hydrothermal dissolution "Jacare" = "Jacare Amethyst crystal with a C - face", this combination is extremely rare; NS 185,00; HS 225,00
Refikite xls	Kolbermoor peat diggings, Bad Feilnbach, Rosenheim, Bavaria / Germany; the rare hydrocarbon mineral, occurs as colorless to white crystal aggregates on wood; MM 38,00; KS 65,00
Ringwoodite (xls)	El Hammami, Tiris Zemmour Region / Mauritania; In addition to Forsterite, Iron and Glass, the highly rare Mg Silicate is a constituent of black "shock lines" in an ultra-shocked impact melt breccia, H6 Chondrite (polished sections); KS 38,00; NS 65,00
Roquesite (xls)	Osawa Pit, Kawazu Mine, Shimoda City, Shizuoka Pref., Honshu Island / Japan; The rare indium-copper sulfide appears in the form of brown-metallic, 1 mm crystal aggregates, in 2 cm large areas in Quartz; MM 28,00; KS 48,00; NS 85,00
Rossmannite xls	Aracuai, Jequitinhonha River Valley, Minas Gerais / Brazil; pinkish long prismatic crystals up to 4 cm, on white Albite, beautiful specimens from a new find in 2017; KS 38,00; NS 75,00; HS 125,00
Rouaite xls	Tenke-Fungurume Mine, Likasi, Kolwezi District, Katanga / Congo; dark greenish blue bright luster tabular to blocky 5 mm large crystal faces in massive cuprite, outstandingly good and rich specimens of the highly rare Copper-Hydroxyl-Nitrate; KS 65,00; NS 95,00
Rouaite xls	Tenke-Fungurume Mine, Likasi, Kolwezi-District, Katanga / Congo; dark-greenish-blue bright lustrous idiomorphic crystals up to 7 mm on cavities on Cuprit. These few available pieces are among the world's best specimens of the highly rare copper-hydroxyl nitrate; MM 350,00; KS 750,00; NS 1.250,00
Santaclarait xls	Pennsylvania Mine, Sugarloaf Mountain, Santa Clara Co., California / USA / TYP; pale orange to pale pinkish silky radial tabular 3 mm large crystal aggregates very rich with quartz and orange-brown Sonolite. Nice specimens found around 1970; KS 28,00; NS 48,00
Sardignait xls	Punta de Su Seinargiu Mine, Sarroch, Cagliari Prov., Sardinia / Italy / TYP; the rare Bi-Molybdate occurs as pale yellowish to colorless silky luster crystals aggregates of 0,5 mm on Quartz; MM 125,00
Skippenite xls	Osawa Pit, Kawazu Mine, Rendaiji, Shimoda, Shizuoka / Japan; the extremely rare Bismuth-Tellurium-Selenide occurs here as silver white metallic tabular crystal aggregates up to 2 mm, beside of Chalcopyrite and Pyrite in Quartz; KS 95,00
Stannoidite xls	Akenobe Mine, Oya-cho, Yabu City, Hyogo, Honshu Island / Japan; brown metallic crystal aggregates of 1 cm with some Chalcopyrite on Quartz, quite rich specimens of the rare Tin-Copper Sulfide; KS 38,00
Steenstrupine-(Ce) xls	Taseq Slope, Ilímaussaq Complex, Narsaq, Kujalleq, / Greenland; deep dark brownish pyramidal crystals up to 1 cm with pale greenish Sodalite; KS 28,00; NS 38,00
Tangdanite xls	Stahlberg Mine, Seligenthal, Thuringian Forest, Thuringia / Germany; bright bluish-green silky shiny radial tabular 5 mm large crystal aggregates, very rich on quartzite matrix. Pretty specimens of the rare Ca-Cu Arsenate, found in August 1993; NS 65,00; HS 125,00
Tephroite (xls)	Kaiser Franz Mine, Schävenholz, Elbingerode, Harz, Saxony-Anhalt / Germany; the manganese silicate, which occurs only very rarely in Germany, occurs here in the form of brown glassy aggregates up to 3 cm, in gray-green quartzite-manganese silicate matrix.; KS 19,00; NS 38,00; HS 65,00
Thomsenolite xls	Ivigut Cryolite deposit, Ivittuut, Arsuk Fjord, Sermersooq / Greenland / TYP; colorless long prismatic crystals of 5 mm, very rich on cavities in massive Thomsenolite; KS 28,00; NS 48,00
Troilite (xls)	El Hammami, Tiris Zemmour Region / Mauritania; bronze metallic aggregates up to 4 mm in size as inclusions in an H6 impact breccia Meteorite (polished sections); KS 28,00; NS 48,00
Ullmannite xl	Heimberg Quarry, Wolfshagen, Harz Mts., Lower Saxony / Germany; dark gray metallic idiomorphic rhombohedral single crystals of 1 cm, found around 1980; MM 19,00
Vanadinite xls	Apache Mine, Globe Hills, Gila Co., Arizona / USA; bright red high lustrous hexagonal 3 mm crystals, very rich on pale brownish Quartzite matrix. Pretty specimens from a classic Arizona Vanadinite occurrence. A beautiful vanadinite that is not from Morocco is really rare nowadays; KS 19,00; NS 28,00; HS 48,00
Watatsumiite xls	Tanohata Mine, Tanohata-mura, Shimohei-gun, Iwate / Japan / TYP; the extremely rare Li-V-Mn-Silicate forms olive green 0,3 mm crystals, beside green Suzukiite and brownish Potassic-ferri-leakeite in Quartz matrix. Only 2 specimens available; KS 248,00
Wulfenite xls	Darwin Mine, Darwin, Darwin Hills, Inyo Co., California / USA; dark orange yellow high lustrous transparent tabular crystals of 5 mm, very rich on dark matrix. These beautiful old specimens I discovered few weeks ago, securely packaged in old newspapers from 1970 in a warehouse in Southern California; KS 38,00; NS 65,00
Zinc xls	Brumbach Creek, Grillenberg, Südharz, Saxony Anhalt / Germany; White metallic tree-like crystal aggregates up to 2 cm, of inter growing native Zinc crystals in a size up to 2 mm !!, together with white Hydrozincite, Smithsonite, Zincite and Quartz. I have never seen better zinc crystals; KS 38,00; NS 125,00
Zunyite xl	Qalat-e Bala Salt Dome, Ghalat e Bala, Bandar-Abbas County, Hormozgan / Iran; a sensational new find of the world's best Zunyit crystals. Reddish-brown, sharp, tetrahedral 1 cm (MM) to 1,2 cm (KS) large single crystals, with gray metallic small hematite crystals. Very nice crystals, only few available; MM 48,00; KS 65,00